


INSTALLATION MANUAL

LIA

'Cutting through darkness'

LIASuspension Diagonal 100



Suspension light Туре Material Brass Environment IndoorsDimension 1000 mm


Cable Length Standard mounting 1500 mm

Max. 2000 mm Weight Certification 1.4 kg EU/UK IP20 CE 230 V Ceiling Rose

Lamps \emptyset 80 x 25 mm 3 x linear opal LED S14s*, 3 x 16.5 W, 2700

K, dimmable, 3 x 1000 lm, energy class A


050 04 101 11 polished nickel with transparent cable 050 04 202 12 brushed brass with black fabric cable





KAIA LIGHTING London & Vienna

September 2016 page 2



INSTALLATION

Before commencing installation ensure the relevant mains supply has been safely isolated/disconnected .

Installation should be carried out by a qualified electrician.

Ensure all electrical connections are tight with no loose strands, including factory made connections.

The Mains power must only be switched on once the fitting has been electrically connected to the driver.

- 1. Fit the 3 lamps before starting the installation (see below).
- 2. Remove the base from the installation bracket.
- 3. Affix the bracket to the ceiling with 2 screws (hole size max. 4.5 mm, 50 mm apart
- 4. Connect the unit to the mains.
- 5. Fix the unit back on its base and re-tighten 2 screws on the side.


LAMP INSTALLATION

LAMP INSTALLATION

- 1. Before commencing installation ensure the relevant mains supply has been safely isolated/disconnected. 2. Use supplied fabric gloves to prevent any stains on the surface.
- 3. Whilst applying pressure push each socket into the lamp holder one at a time (see graphic).
- 4. Due to the risk of glass fracture handle the lamps with care!

Under unfavourable conditions these lamps can lead to acoustic noise. In case of resonance even low noise can cause audible effect. The installation as well as the dimmer or the transformer (harmonics or electronic resonance) are possible influencing factors.





September 2016 page 3

CARE INSTRUCTIONS

1. Use a soft dry cloth to ensure a fingerprint free surface. We recommend the use of micro fibre cloths.

2. Warning: do not use alcohol or other solvents for cleaning.

www.kaia.at sales@kaia.at

^{*} Please contact sales@kaia.at for further information on dimmers etc. Please note KAIA Ltd cannot take any responsibility for the connection with your dimming or central control system. It is the customer's responsibility to ensure the compatibility with their systems.