




N E A

'Line of light'


Designed by
Peter Straka
Vienna 2007

Light in its purest and most simple form, the lighting object reduced to a simple fixture. A tube of light suspended or mounted on a wall at a single point.




Process: All N E A components are solid brass. The brass is polished and nickel plated. Lastly the luminaire is wired and assembled.

N E A
Wall / Ceiling
50




| | |
|---------------|--|
| Type | Wall/ceiling light |
| Material | Solid brass |
| Environment | Indoors |
| Dimensions | 500 x 58 mm |
| Weight | 0.3 kg |
| Certification | IP20 CE |
| Bathroom | Zone 3 |
| EU/UK | 230 V |
| Lamps | Linear copal LED S14d*, 9 W, 2700 K, dimmable, opal 450 lm, energy class A |
| 039 01 101 | Polished nickel |
| 039 01 202 | Brushed brass |

NEA
Wall / Ceiling
30




| | |
|---------------|--|
| Type | Wall/ceiling light |
| Material | Solid brass |
| Environment | Indoors |
| Dimensions | 300 x 58 mm |
| Weight | 0.3 kg |
| Certification | IP20 CE |
| Bathroom | Zone 3 |
| EU/UK | 230 V |
| Lamps | Linear opal LED S14d*, 6 W, 2700K, dimmable, opal 250 lm, energy class A |
| 039 02 101 | Polished nickel |
| 039 02 202 | Brushed brass |

NEA
Wall / Ceiling
Plate 50



| | |
|---------------|---|
| Type | Wall/ceiling light |
| Material | Solid brass |
| Environment | Indoors |
| Dimensions | 500 x 75 x 58 mm |
| Weight | 0.4 kg |
| Certification | IP20 CE |
| Bathroom | Zone 3 |
| EU/UK | 230 V |
| Lamps | Linear opal LED S14d*, 9 W, 2700 K, dimmable, opal 450 lm, energy class A |
| 039 03 101 | Polished nickel |
| 039 03 202 | Brushed brass |

NEA
Wall /Ceiling
Plate 30



| | |
|---------------|---|
| Type | Wall/ceiling light |
| Material | Solid brass |
| Environment | Indoors |
| Dimensions | 300 x 75 x 58 mm |
| Weight | 0.4 kg |
| Certification | IP20 CE |
| Bathroom | Zone 3 |
| EU/UK | 230 V |
| Lamps | Linear opal LED S14d*, 6 W, 2700 K, dimmable, opal 250 lm, energy class A |
| 039 04 101 | Polished nickel |
| 039 04 202 | Brushed brass |

* Under unfavorable conditions these lamps can lead to acoustic noise. In case of resonance even low noise can cause audible effect. The installation as well as the dimmer or the transformer (harmonics or electronic resonance) are possible influencing factors.

** Please contact sales@kaia.at for further information on dimmers etc. Please note KAIA Ltd cannot take any responsibility for the connection with your dimming or central control system. It is the customer's responsibility to ensure the compatibility with their systems.

www.kaia.at

sales@kaia.at