


# État des Lieux 1C

## Assembly instructions



Attention: Read and understand these instructions before installing fixture. This fixture is intended for installation in accordance with National Electric Code and local regulation : to assure full compliance with local code and regulations, check with your local electric inspector before installation. This equipment is guaranteed only when used as indicated in the instructions; therefore they should be kept for future reference. Install where luminaire will be protected from likely damage. This fixture is ceiling mounted only.

### Your box should contain



### Tools needed, not included

- 2x 8-32 screws for junction box
- 5x wire connectors for junction box
- Screwdriver phillips and flat

1 First, gently insert the flat cable into the glass globe one side at a time.




Make sure the light globe don't rub the glass globe.

Make sure the light face the desired direction.




Unpack all components from the box and dispose of the packaging. Please recycle.



Adjust and set it aside for next steps.

2 Measure, mark and drill appropriate hole distance to mount backplate of canopy feed and support to ceiling. Install anchors if needed (not included).



Model	Code	Length	Width	Depth
1C	A	61cm (24in)	41.7cm (16.4in)	28cm (11in)
	B	89cm (35in)	59cm (23 1/4in)	
	C	112cm (44in)	78cm (30 3/4in)	
	D	201cm (79in)	151.6cm (59.7in)	


\*The dimensions are calculated with an angle of 45 deg of strap.

3 Screw backplate in junction box with screw 2x 8-32 machine screws (not included).

Attache ceiling ground wire to backplate ground screw. Make sure other wires go thru backplate center hole as illustrated.




Make sure to install the backplate the side where the strain relief will meet the cable.



4 Make appropriate connexions with wire bundle provided to ceiling wiring. (Shut off main power at the circuit breaker panel)

Ceiling wires	Fixture wires	For 0-10V dimming
Live	120V: Black 220V: Brown	Purple
Neutral	White Blue	DC+
Ground	Green	Grey
		DC-



# État des Lieux 1C

## Assembly instructions



Attention: Read and understand these instructions before installing fixture. This fixture is intended for installation in accordance with National Electric Code and local regulation : to assure full compliance with local code and regulations, check with your local electric inspector before installation. This equipment is guaranteed only when used as indicated in the instructions; therefore they should be kept for future reference. Install where luminaire will be protected from likely damage. This fixture is ceiling mounted only.

**5** First, clip wire connectors.

Then, install driver block with wing nuts provided (push connectors in junction box when installing).

live/ neutral / ground

0-10V dimming purple / Grey

Driver Red + Black -

Controller Red + Black -

Do not connect loose domino connector yet.

**6** Screw all the supports backplate on ceiling. (Screws not included)

Make sure to install the backplate the side where the strain relief will meet the cable.

A Strain relief B

**7** First, pass sectioned flat cable in strain relief in canopy in direction of support box B and screw in place. (Loosen captive screws for better passing of cable)

Then, screw on each side of cable to retain it in place.

Finally, you can adjust height of luminaire by pushing the cable in canopy.

Leveling can be done by making sure the cable is in line in strain relief.

**8** Repeat cable installation of step 7 with support A with 2 strain relief.

**9** Repeat cable installation of step 6 with support B with 1 strain relief. (Make sure the luminaire is well balanced)

**10** In support box A connect loose domino wires from canopy cable to cable from glass globe.

LED C — Blue — LED C

LED + — White — LED +

LED W — Yellow — LED W

**11** Install support cover A & B. Use 2x flat screw provided per support box.


# État des Lieux 1C

## Assembly instructions




Attention: Read and understand these instructions before installing fixture. This fixture is intended for installation in accordance with National Electric Code and local regulation : to assure full compliance with local code and regulations, check with your local electric inspector before installation. This equipment is guaranteed only when used as indicated in the instructions; therefore they should be kept for future reference. Install where luminaire will be protected from likely damage. This fixture is ceiling mounted only.

**12** First, make connections with domino and flat cable in canopy.



Clip white connectors together.

**13** Install canopy cover by sliding up and curving slightly the flat cable to pass the cover.



Then, screw in place with 2x flat screw provided. (Lift cable out of the way for better access)

