

## ARRAY PENDANT LARGE

### FINISH

bronze with satin brass details and opal glass shades

### DIMENSIONS (body of fixture)

2700 x 2700 x 1100 mm (w x d x h)

### WEIGHT

18kg (39.7lbs)

please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 1100 mm

maximum on request 7140 mm

please specify the required overall drop from the ceiling to the bottom of the fitting

### ILLUMINATION

220-240v - 11 x G9 - 25w (or 2.5w 2700k)

110-130v - 11 x G9 - 25w (or 2.5w 2700k)

### DIMMING

dimnable bulb required

trailing edge dimmable / phase cut (rotary dimmer) - standard

DALI option available (220-240v only)




### CEILING ROSE / PLATE

round ceiling rose -  $\varnothing$  150 x 40 mm (dia x h)

### CERTIFICATION



mounting plate dimensions



\*Diagrams are not to scale.

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
ARRPELBZOG-240	bronze with satin brass details and opal glass shades	220 - 240V
ARRPELBZOG-110	bronze with satin brass details and opal glass shades	110 - 130v

## ARRAY PENDANT LARGE - DALI-A

### FINISH

bronze with satin brass details and opal glass shades

### DIMENSIONS (body of fixture)

2700 x 2700 x 1100 mm (w x d x h)

### WEIGHT

18kg (39.7lbs)

please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 1100 mm

maximum on request 7140 mm

please specify the required overall drop from the ceiling to the bottom of the fitting

### ILLUMINATION

220-240v - 11 x G9 - 25w (or 2.5w 2700k)

DALI converter to be installed in the ceiling rose

### DIMMING

dimnable bulb required

DALI compatible




### CEILING ROSE / PLATE

round ceiling rose -  $\varnothing$  150 x 40 mm (dia x h)

### CERTIFICATION



mounting plate dimensions



\*Diagrams are not to scale.

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
ARRPELBZOG-DALIA-240	bronze with satin brass details and opal glass shades	DALI A included - For lights that do not require aesthetic alterations. DALI can be fitted on the existent ceiling/wall rose	220 - 240V

## ARRAY PENDANT LARGE - EXTENSION KIT

### FINISH

bronze with satin brass details

### DIMENSIONS (length of the extension)

1000 mm


### OVERALL DROP

standard size 1000 mm  
 minimum recommended 300 mm  
 maximum on request 4000 mm  
 please specify total drop upon request

### CERTIFICATION



150mm (5.9)



1000mm (39.3)



\*Diagrams are not to scale.

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
ACCGENEXOLBZ	bronze with satin brass details	220 - 240V