IP44. DE outside lighting®


lin spike

instructions for use

For unpaved beds and greens

- 1. Screw threaded plate under the luminaire body.
- 2. Screw the enclosed ground spike in threaded plate under the luminaire body.
- 3. Stick ground spike in loosened ground in intended position.
- 4. Provide the electrical connection between safety plug and grounded electrical socket **aboveground**.
- 5. Grounded electrical sockets have to correspond to the essential protection class.
- 6. The safety plug signals the movability of the luminaire.

 Please note, that a fixed installation and/or a connection with an earth-joint is not permitted.



light technology:

230V Power LED / 2700K system performance: lin 40 spike: 9 W/164 lm lin 70 spike: 18 W/328 lm



technical information:

operating voltage 230V / 50Hz supply cable H05RN-F 3G0,75



protection class safety class 1



Luminaire is suitable for mounting on normal inflammable fixing surfaces.



conformity mark

maintenance:

Disconnect the electrical installation.

This luminaire contains built-in LED lamps. The LED lamps can be replaced by IP44.de in case of a failure of the LED. In this case, please get in touch with your retailer.

dimmina:

The luminaire can be dimmed with an approved leading-or trailing edge dimmer. Please contact IP44.de service center for a list of approved dimmers.

care:

Regularly clean luminaire from dirt and deposits. Do not use a high pressure cleaner for cleaning. Please note care instructions at www.IP44.de.

safetv:

We point out that the electric connection of light fixtures has to be done by a certified installer. We assume no accountability for damages which are a result of non-appropriate mounting or application of the luminaire. Modifications on the luminaire will result in loss of warranty.

$assembly\ instruction:$

The luminaire may not come into contact with highly acidic or alkaline soils, or with other aggressive substances, chemicals or fertilizers.

welcome@IP44.de . www.IP44.de 00 12/22